Classification for Drug related problems

V9.1

© 2003-2020 Pharmaceutical Care Network Europe Association
This classification can freely be used in Pharmaceutical Care Research and practice, as long as the PCNE association is informed of its use and results of validations. The classification is available both as a Word document and a PDF document.

Contact: drp@pcne.org

This classification should be referred to as 'The PCNE Classification V 9.1' With some adaptations, this version is backwards compatible with version 8.

Introduction

During the working conference of the Pharmaceutical Care Network Europe in January 1999, a classification scheme was constructed for drug related problems (DRPs). The classification is part of a total set of instruments. The set consists of the classification scheme, reporting forms and cases for training or validation. The classification system is validated and adapted regularly. The current version is V9.1, which has been developed after a validation round and an expert workshop in February 2020. It is backwards compatible with V8 (with some adaptations), but not with versions before V8 because a number of major sections have been revised.

The classification is for use in research into the nature, prevalence, and incidence of DRPs and also as a process indicator in experimental studies of Pharmaceutical Care outcomes. It is also meant to help health care professionals to document DRP-information in the pharmaceutical care process. Throughout the classification the word 'drug' is used, where others might use the term 'medicine'. The hierarchical classification is based upon similar work in the field, but it differs from existing systems because it separates the problems from the causes. Quality experts will recognise that most of the causes are often named 'Medication Errors' by others.

The following official PCNE-DRP definition is the basis for the classification:

A Drug-Related Problem is an event or circumstance involving drug therapy that actually or potentially interferes with desired health outcomes.

The basic classification now has 3 primary domains for problems, 9 primary domains for causes and 5 primary domains for Planned Interventions, 3 primary domains for level of acceptance (of interventions) and 4 primary domains for the Status of the problem.

However, on a more detailed level there are 6 grouped sub domains for problems, 38 grouped sub domains for causes and 17 grouped sub domains for interventions, and 10 subdomains for intervention acceptance. Those sub-domains can be seen as explanatory for the principal domains.

In 2003 a scale has been added to indicate if or to what extend the problem has been solved, containing 4 primary domains and 7 sub domains.

J.W.Foppe van Mil, Nejc Horvat, Tommy Westerlund, Ina Richling Zuidlaren, May 2020

The basic classification

	Code V9.1	Primary domains
Problems (also potential)	P1	Treatment effectiveness There is a (potential) problem with the (lack of) effect of
(also potential)	P2	the pharmacotherapy Treatment safety Patient suffers, or could suffer, from an adverse drug event
	P3	Other
Causes	C1	Drug selection
(including possible causes for potential problems)		The cause of the DRP can be related to the selection of the drug
ior potential problems)	C2	Drug form
		The cause of the DRP is related to the selection of the drug form
	C3	Dose selection
		The cause of the DRP can be related to the selection of the dosage schedule
	C4	Treatment duration
	C5	The cause of the DRP is related to the duration of treatment
	C5	Dispensing The cause of the DRP can be related to the logistics of the
		prescribing and dispensing process
	C6	Drug use process
		The cause of the DRP is related to the way the patient gets the drug administered by a health professional or carer, in crite of proper instructions (on the label)
	C7	spite of proper instructions (on the label) Patient related
		The cause of the DRP can be related to the patient and his behaviour (intentional or non-intentional)
	C8	Patient transfer related
		The cause of the DRP can be related to the transfer of
		patients between primary, secondary and tertiary care, or transfer within one care institution.
	C9	Other
Planned Interventions	I0 I1	No intervention At prescriber level
	12	At patient level
	I3	At drug level
	I4	Other
Intervention Acceptance	A1 A2	Intervention accepted Intervention not accepted
	A3	Other
Status of the DRP	00	Problem status unknown
	01	Problem solved
	O2 O3	Problem partially solved Problem not solved
	03	1 TODICHI HUL SULYCU

The Problems

Primary Domain	Code	Problem
	V9.1	
1.Treatment effectiveness	P1.1	No effect of drug treatment despite correct use
There is a (potential) problem	P1.2	Effect of drug treatment not optimal
with the (lack of) effect of	P1.3	Untreated symptoms or indication
the pharmacotherapy.		-
2. Treatment safety Patient suffers, or could suffer, from an adverse drug event. N.B. If there is no specific cause, skip Causes coding.	P2.1	Adverse drug event (possibly) occurring
3. Other	P3.1	Unnecessary drug-treatment
	P3.2	Unclear problem/complaint. Further clarification necessary (please use as escape only)

Potential Problem
Manifest Problem

The Causes (including possible causes for potential problems) [N.B. One problem can have more causes]

	Primary Domain	Code	Cause
	•	V9.1	
	1. Drug selection The cause of the (potential)	C1.1 C1.2	Inappropriate drug according to guidelines/formulary No indication for drug
	DRP is related to the selection of the drug (by patient or health professional)	C1.3	Inappropriate combination of drugs, or drugs and herbal medications, or drugs and dietary supplements
on	,	C1.4	Inappropriate duplication of therapeutic group or active ingredient
lecti		C1.5	No or incomplete drug treatment in spite of existing indication
drug selection		C1.6	Too many different drugs/active ingredients prescribed for indication
Prescribing & dr	2. Drug form The cause of the DRP is related to the selection of the drug form	C2.1	Inappropriate drug form/formulation (for this patient)
ig	3. Dose selection	C3.1	Drug dose too low
SCL	The cause of the DRP is	C3.2	Drug dose of a single active ingredient too high
re	related to the selection of the dose or dosage	C3.3	Dosage regimen not frequent enough
Ь	dose of dosage	C3.4	Dosage regimen too frequent
		C3.5	Dose timing instructions wrong, unclear or missing
	4. Treatment duration	C4.1	Duration of treatment too short
	The cause of the DRP is related to the duration of	C4.2	Duration of treatment too long
	treatment		
18	5. Dispensing	C5.1	Prescribed drug not available
sin	The cause of the DRP is	05.0	
· 🐼		C5.2	Necessary information not provided or incorrect advice
ensi	related to the logistics of the	C5.2	provided provided or incorrect advice
ispensi		C5.2	I = = = = = = = = = = = = = = = = = = =
Dispensing	related to the logistics of the prescribing and dispensing		provided
Dispensi	related to the logistics of the prescribing and dispensing process 6. Drug use process The cause of the DRP is	C5.3	provided Wrong drug, strength or dosage advised (OTC)
Dispensi	related to the logistics of the prescribing and dispensing process 6. Drug use process The cause of the DRP is related to the way the patient	C5.3 C5.4	provided Wrong drug, strength or dosage advised (OTC) Wrong drug or strength dispensed Inappropriate timing of administration or dosing intervals by a health professional Drug under-administered by a health professional
Dispensi	related to the logistics of the prescribing and dispensing process 6. Drug use process The cause of the DRP is	C5.3 C5.4 C6.1 C6.2 C6.3	provided Wrong drug, strength or dosage advised (OTC) Wrong drug or strength dispensed Inappropriate timing of administration or dosing intervals by a health professional Drug under-administered by a health professional Drug over-administered by a health professional
Dispensi	related to the logistics of the prescribing and dispensing process 6. Drug use process The cause of the DRP is related to the way the patient gets the drug administered by a health professional or other carer, despite proper	C5.3 C5.4 C6.1 C6.2 C6.3 C6.4	provided Wrong drug, strength or dosage advised (OTC) Wrong drug or strength dispensed Inappropriate timing of administration or dosing intervals by a health professional Drug under-administered by a health professional Drug over-administered by a health professional Drug not administered at all by a health professional
Dispensi	related to the logistics of the prescribing and dispensing process 6. Drug use process The cause of the DRP is related to the way the patient gets the drug administered by a health professional or other carer, despite proper dosage instructions (on	C5.3 C5.4 C6.1 C6.2 C6.3 C6.4 C6.5	provided Wrong drug, strength or dosage advised (OTC) Wrong drug or strength dispensed Inappropriate timing of administration or dosing intervals by a health professional Drug under-administered by a health professional Drug over-administered by a health professional Drug not administered at all by a health professional Wrong drug administered by a health professional
Dispensi	related to the logistics of the prescribing and dispensing process 6. Drug use process The cause of the DRP is related to the way the patient gets the drug administered by a health professional or other carer, despite proper	C5.3 C5.4 C6.1 C6.2 C6.3 C6.4	provided Wrong drug, strength or dosage advised (OTC) Wrong drug or strength dispensed Inappropriate timing of administration or dosing intervals by a health professional Drug under-administered by a health professional Drug over-administered by a health professional Drug not administered at all by a health professional
Use Dispensi	related to the logistics of the prescribing and dispensing process 6. Drug use process The cause of the DRP is related to the way the patient gets the drug administered by a health professional or other carer, despite proper dosage instructions (on label/list) 7. Patient related The cause of the DRP is	C5.3 C5.4 C6.1 C6.2 C6.3 C6.4 C6.5	provided Wrong drug, strength or dosage advised (OTC) Wrong drug or strength dispensed Inappropriate timing of administration or dosing intervals by a health professional Drug under-administered by a health professional Drug over-administered by a health professional Drug not administered at all by a health professional Wrong drug administered by a health professional Drug administered via wrong route by a health
	related to the logistics of the prescribing and dispensing process 6. Drug use process The cause of the DRP is related to the way the patient gets the drug administered by a health professional or other carer, despite proper dosage instructions (on label/list) 7. Patient related The cause of the DRP is related to the patient and his	C5.3 C5.4 C6.1 C6.2 C6.3 C6.4 C6.5 C6.6	provided Wrong drug, strength or dosage advised (OTC) Wrong drug or strength dispensed Inappropriate timing of administration or dosing intervals by a health professional Drug under-administered by a health professional Drug over-administered by a health professional Drug not administered at all by a health professional Wrong drug administered by a health professional Drug administered via wrong route by a health professional Patient intentionally uses/takes less drug than prescribed or
	related to the logistics of the prescribing and dispensing process 6. Drug use process The cause of the DRP is related to the way the patient gets the drug administered by a health professional or other carer, despite proper dosage instructions (on label/list) 7. Patient related The cause of the DRP is related to the patient and his behaviour (intentional or non-	C5.3 C5.4 C6.1 C6.2 C6.3 C6.4 C6.5 C6.6	provided Wrong drug, strength or dosage advised (OTC) Wrong drug or strength dispensed Inappropriate timing of administration or dosing intervals by a health professional Drug under-administered by a health professional Drug over-administered by a health professional Drug not administered at all by a health professional Wrong drug administered by a health professional Drug administered via wrong route by a health professional Professional Patient intentionally uses/takes less drug than prescribed or does not take the drug at all for whatever reason
	related to the logistics of the prescribing and dispensing process 6. Drug use process The cause of the DRP is related to the way the patient gets the drug administered by a health professional or other carer, despite proper dosage instructions (on label/list) 7. Patient related The cause of the DRP is related to the patient and his	C5.3 C5.4 C6.1 C6.2 C6.3 C6.4 C6.5 C6.6	provided Wrong drug, strength or dosage advised (OTC) Wrong drug or strength dispensed Inappropriate timing of administration or dosing intervals by a health professional Drug under-administered by a health professional Drug over-administered by a health professional Drug not administered at all by a health professional Wrong drug administered by a health professional Drug administered via wrong route by a health professional Patient intentionally uses/takes less drug than prescribed or does not take the drug at all for whatever reason Patient uses/takes more drug than prescribed
	related to the logistics of the prescribing and dispensing process 6. Drug use process The cause of the DRP is related to the way the patient gets the drug administered by a health professional or other carer, despite proper dosage instructions (on label/list) 7. Patient related The cause of the DRP is related to the patient and his behaviour (intentional or non-	C5.3 C5.4 C6.1 C6.2 C6.3 C6.4 C6.5 C6.6 C7.1 C7.2 C7.3 C7.4 C7.5	provided Wrong drug, strength or dosage advised (OTC) Wrong drug or strength dispensed Inappropriate timing of administration or dosing intervals by a health professional Drug under-administered by a health professional Drug over-administered by a health professional Drug not administered at all by a health professional Wrong drug administered by a health professional Drug administered via wrong route by a health professional Patient intentionally uses/takes less drug than prescribed or does not take the drug at all for whatever reason Patient uses/takes more drug than prescribed Patient abuses drug (unregulated overuse) Patient decides to use unnecessary drug Patient takes food that interacts
	related to the logistics of the prescribing and dispensing process 6. Drug use process The cause of the DRP is related to the way the patient gets the drug administered by a health professional or other carer, despite proper dosage instructions (on label/list) 7. Patient related The cause of the DRP is related to the patient and his behaviour (intentional or non-	C5.3 C5.4 C6.1 C6.2 C6.3 C6.4 C6.5 C6.6 C7.1 C7.2 C7.3 C7.4 C7.5 C7.6	provided Wrong drug, strength or dosage advised (OTC) Wrong drug or strength dispensed Inappropriate timing of administration or dosing intervals by a health professional Drug under-administered by a health professional Drug over-administered by a health professional Drug not administered at all by a health professional Wrong drug administered by a health professional Drug administered via wrong route by a health professional Patient intentionally uses/takes less drug than prescribed or does not take the drug at all for whatever reason Patient uses/takes more drug than prescribed Patient abuses drug (unregulated overuse) Patient decides to use unnecessary drug Patient takes food that interacts Patient stores drug inappropriately
	related to the logistics of the prescribing and dispensing process 6. Drug use process The cause of the DRP is related to the way the patient gets the drug administered by a health professional or other carer, despite proper dosage instructions (on label/list) 7. Patient related The cause of the DRP is related to the patient and his behaviour (intentional or non-	C5.3 C5.4 C6.1 C6.2 C6.3 C6.4 C6.5 C6.6 C7.1 C7.2 C7.3 C7.4 C7.5 C7.6 C7.7	provided Wrong drug, strength or dosage advised (OTC) Wrong drug or strength dispensed Inappropriate timing of administration or dosing intervals by a health professional Drug under-administered by a health professional Drug over-administered by a health professional Drug not administered at all by a health professional Wrong drug administered by a health professional Drug administered via wrong route by a health professional Patient intentionally uses/takes less drug than prescribed or does not take the drug at all for whatever reason Patient uses/takes more drug than prescribed Patient abuses drug (unregulated overuse) Patient decides to use unnecessary drug Patient takes food that interacts Patient stores drug inappropriately Inappropriate timing or dosing intervals
	related to the logistics of the prescribing and dispensing process 6. Drug use process The cause of the DRP is related to the way the patient gets the drug administered by a health professional or other carer, despite proper dosage instructions (on label/list) 7. Patient related The cause of the DRP is related to the patient and his behaviour (intentional or non-	C5.3 C5.4 C6.1 C6.2 C6.3 C6.4 C6.5 C6.6 C7.1 C7.2 C7.3 C7.4 C7.5 C7.6	provided Wrong drug, strength or dosage advised (OTC) Wrong drug or strength dispensed Inappropriate timing of administration or dosing intervals by a health professional Drug under-administered by a health professional Drug over-administered by a health professional Drug not administered at all by a health professional Wrong drug administered by a health professional Drug administered via wrong route by a health professional Patient intentionally uses/takes less drug than prescribed or does not take the drug at all for whatever reason Patient uses/takes more drug than prescribed Patient abuses drug (unregulated overuse) Patient decides to use unnecessary drug Patient takes food that interacts Patient stores drug inappropriately

		C7.9 C7.10	Patient physically unable to use drug/form as directed Patient unable to understand instructions properly
Seamless	8. Patient transfer related The cause of the DRP can be related to the transfer of patients between primary, secondary and tertiary care, or transfer within one care institution.	C8.1	Medication reconciliation problem
	9. Other	C9.1 C9.2	No or inappropriate outcome monitoring (incl. TDM) Other cause; specify
		C9.3	No obvious cause

The Planned Interventions

[N.B. One problem can lead to more interventions]

Primary Domain	Code	Intervention
No intervention	V9.1 I0.1	No Intervention
1. At prescriber level	I1.1 I1.2 I1.3 I1.4	Prescriber informed only Prescriber asked for information Intervention proposed to prescriber Intervention discussed with prescriber
2. At patient level	I2.1 I2.2 I2.3 I2.4	Patient (drug) counselling Written information provided (only) Patient referred to prescriber Spoken to family member/caregiver
3. At drug level	I3.1 I3.2 I3.3 I3.4 I3.5 I3.6	Drug changed to Dosage changed to Formulation changed to Instructions for use changed to Drug paused or stopped Drug started
4. Other intervention or activity	I4.1 I4.2	Other intervention (specify) Side effect reported to authorities

Acceptance of the Intervention proposals

[N.B. One status of acceptance per intervention proposal]

Primary domain	Code	Implementation
	9.1	
1. Intervention accepted	A1.1	Intervention accepted and fully implemented
(by prescriber or patient)	A1.2	Intervention accepted, partially implemented
	A1.3	Intervention accepted but not implemented
	A1.4	Intervention accepted, implementation unknown
2. Intervention not	A2.1	Intervention not accepted: not feasible
accepted	A2.2	Intervention not accepted: no agreement
(by prescriber or patient)	A2.3	Intervention not accepted: other reason (specify)
	A2.4	Intervention not accepted: unknown reason
3. Other (no information on	A3.1	Intervention proposed, acceptance unknown
acceptance)	A3.2	Intervention not proposed

Status of the DRP

[N.B. This domain depicts the outcome of the intervention. One problem (or the combination of interventions) can only lead to one level of solving the problem]

Primary Domain	Code	Outcome of intervention
	V9.1	
0. Not known	O0.1	Problem status unknown
1. Solved	01.1	Problem totally solved
2. Partially solved	O2.1	Problem partially solved
3. Not solved O3.1 Problem not solved, lack of cooperation of patient		
O3.2 Problem not solved, lack of cooperation of prescri		Problem not solved, lack of cooperation of prescriber
	O3.3	Problem not solved, intervention not effective
	O3.4	No need or possibility to solve problem

PCNE Classification for Drug related problems Help

V9.1

© 2003-2020 Pharmaceutical Care Network Europe Association
This classification can freely be used in Pharmaceutical Care Research and practice, as long as the Foundation is informed of its use and results of validations. The classification is available both as a Word document and a PDF document.

Contact: drp@pcne.org

This help document is related to as 'Help to the PCNE Classification V9.1

Finding or selecting codes in the PCNE classification

A Drug-Related Problem is an event or circumstance involving drug therapy that actually or potentially interferes with desired health outcomes.

For the use of the PCNE classification it is important to separate the real (or potential) problem (that affects or is going to affect the outcome) from its cause(s). Often drug-related problems (DRPs) are caused by a certain type of error e.g. prescribing errors or drug-use or administration errors. But there might be no error at all involved. Also, a medication error does not necessarily have to lead to a drug-related problem, there can be no problem or the problem is potential. The cause is usually the behaviour that has caused (or will cause) the problem, and most often that is a medication error. A cause or a combination of causes and a problem together, will usually lead to one or more interventions.

The classification can be used in two ways, depending on the level of information needed.

If only the main domains are used, there is in general enough information for research purposes. If the system is used for documenting pharmaceutical care activities in practice, the sub domains can be useful.

N.B. The word 'drug' is equivalent to 'medicine' in the context of this classification.

Problem section

Basically, the problem is defined as 'the expected or unexpected event or circumstance that is, or might be wrong, in therapy with drugs'. (the P-codes)

There are 3 major domains in the problem section. The following descriptions could help to find the right problem domain:

The clinical effect of the drug treatment is not as expected or there is no treatment	See P1
The patient suffers from an ADR at normal dose or from a toxic reaction	See P2
Nothing seems wrong in the treatment, but there is another problem related to the	
medicines in use	

Causes section

Each (potential) problem has a cause. The cause is the action (or lack of action) that leads up to the occurrence of a potential or real problem. There may be more (potential) causes for a problem. (The C-code)

The cause of the DRP is related to the selection of the drug	See C1
The cause of the DRP is related to the selection of the drug form	See C2
The cause of the DRP is related to the selection of a dose or dosage schedule	See C3
The cause of the DRP is related to the duration of the therapy	See C4
The cause of the DRP is related to the logistics of the prescribing or dispensing	See C5
process	

The cause of the DRP is related to the way the patient gets the drug administered by	See C6
a health professional or carer, despite proper dosage instructions (on the label).	
(principally used for hospital or home-care by caregivers)	
The cause of the DRP is related to the personality or the behaviour of the patient	See C7
The cause of the DRP is related to the transfer of a patient between settings or	See C8
departments (seamless care issues)	
There is another cause for the problems, not mentioned before.	See C9

Planned Intervention section

The problem will usually lead to one or more in interventions to correct the cause of the problem. (The I-code)

There is or can be no intervention	See I0
Intervention through the prescriber	See I1
Intervention through the patient, his carers or relatives	See I2
Intervention by pharmacist (dispenser) directly by changing drug or indicating	See I3
change in drug use	
Other intervention	See I4

Level of acceptance of intervention proposals

In this section you can indicate if the suggestion for the intervention to patient or prescriber has been accepted.

Intervention accepted (by prescriber or patient)	See A1
Intervention not accepted (by prescriber or patient)	See A2
No intervention proposed or acceptance unknown (no information)	See A3

Status of the DRP

Previously called Outcome', this section can be used to document if a problem has been solved. For evaluation purposes it is desirable to indicate if the problem has been solved by a specific intervention (the I-code), that has been not, partially or fully accepted by the prescriber and patient (the A code).

Problem totally solved	See O1
Problem partially solved	See O2
Problem not solved	See O3

10-5-2020 V9.1